

Certificate of Product Approval

Certificate Number: 1115a

Issue: 05

Kingsley Plastics Limited

The Airfield
Winkleigh
Devon
EX19 8DW

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Heavy Duty SR2
Heavy Duty SR3
hinged security doorsets

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Heavy Duty SR2	Single leaf outward opening hinged GRP doorset with a plain padlockable leaf	0.918	3.118	0.518	1.413	2	1115a/01
	Double leaf outward opening hinged GRP doorset with plain padlockable leaves of equal sizes ¹	0.918	3.118	0.922	2.712		
Heavy Duty SR3	Single leaf outward opening hinged GRP doorset with a plain padlockable leaf	0.918	3.118	0.518	1.413	3	1115a/02
	Double leaf outward opening hinged GRP doorset with plain padlockable leaves of equal sizes ¹	0.918	3.118	0.922	2.712		
	Single leaf outward opening hinged GRP doorset with a plain leaf	0.918	3.118	0.518	1.413	3 ²	1115a/03
	Double leaf outward opening hinged GRP doorset with plain leaves of equal sizes	0.918	3.118	0.922	2.712		

Approved Locking Configurations

Product Name	Type	Compatible Locking Systems/Padlocks	
		Active Leaf	Passive Leaf
Heavy Duty SR2	Single leaf outward opening hinged GRP doorset with a plain padlockable leaf	a, b, c, d, e, f, g and h	N/A
	Double leaf outward opening hinged GRP doorset with plain padlockable leaves of equal sizes	a, b, c, d, e, f, g and h	6
Heavy Duty SR3	Single leaf outward opening hinged GRP doorset with a plain padlockable leaf	b, d, f and g	N/A
	Double leaf outward opening hinged GRP doorset with plain padlockable leaves of equal sizes	b, d, f and g	6
	Single leaf outward opening hinged GRP doorset with a plain leaf ³	1, 2, 3, 4, 5, 7 to 47	N/A
	Double leaf outward opening hinged GRP doorset with plain leaves of equal size ³	1, 2, 3, 4 and 5	6 ⁴
48 to 54			

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
1	Tindall Engineering Limited	Abryll AD3 / USCH3	Single-point auto-deadlocking auto-bolting system with external cylinder access	Key and lever handle	Thumbturn and lever handle	A to BG
2	Tindall Engineering Limited	Abryll AD1 SATE / USCH3	Single-point auto-deadlocking auto-bolting emergency exit system with external cylinder access	Key and lever handle	Push pad	A to BG
3	Tindall Engineering Limited	Abryll EM3 / USCH3	Single point locking system with automatic solenoid deadlock and electro-mechanical access control powered by 12 V ^{5,6}	Electro-mechanical access control device with key override and lever handle	Electro-mechanical access control device with thumb turn override and lever handle	A to BG
4	Tindall Engineering Limited	Abryll SATE EM1/ USCH3	Single point emergency exit device locking system with automatic solenoid deadlock and electro-mechanical access control powered by 12 V ^{5,6}	Electro-mechanical access control device with key override and lever handle	Push pad	A to BG
5	Tindall Engineering Limited	Abryll SATE EM1/ USCH3	Single-point emergency exit device	None	Push pad	-
6	Albert Jagger	-	Two sprung tower bolts	None	Two sprung tower bolts	-
7	Surelock McGill Limited	Slimline SL301	Three-point surface-mounted locking system, auto-bolting, auto-deadlocking	None	Internal key and lever handle	-
8	Surelock McGill Limited	Slimline SL301-K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Internal key and lever handle	-
9	Surelock McGill Limited	Slimline SL301-H6K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Full width push bar deadlocked by a key	-

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
10	Surelock McGill Limited	Slimline SL301-H3K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Push pad deadlocked by a key	-
11	Surelock McGill Limited	Slimline SL303	Three-point surface-mounted locking system, auto-bolting, auto-deadlocking	None	Thumbturn and lever handle	-
12	Surelock McGill Limited	Slimline SL303-K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Thumbturn and lever handle	-
13	Surelock McGill Limited	Slimline SL303-H6K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Full width push bar deadlocked by a thumbturn	-
14	Surelock McGill Limited	Slimline SL303-H3K0	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	None	Push pad deadlocked by a thumbturn	-
15	Surelock McGill Limited	Slimline SL305	Three-point surface-mounted emergency exit locking system, auto-bolting	None	Lever handle	-
16	Surelock McGill Limited	Slimline SL305-Q4	Three-point surface-mounted emergency exit locking system, auto-bolting, auto-deadlocking	None	Lever handle	-
17	Surelock McGill Limited	Slimline SL306	Three-point surface-mounted emergency exit locking system, auto-bolting	None	Push pad	-
18	Surelock McGill Limited	Slimline SL306-Q4	Three-point surface-mounted emergency exit locking system, auto-bolting, auto-deadlocking	None	Push pad	-
19	Surelock McGill Limited	Slimline SL310 with GSS guard	Three-point surface-mounted locking system, auto-bolting, auto-deadlocking	Key and lever handle	None	A to BG, ET to GL
20	Surelock McGill Limited	Slimline SL310-K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	None	A to BG, ET to GL

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
21	Surelock McGill Limited	Slimline SL311 with GSS guard	Three-point surface-mounted locking system, auto-bolting, auto-deadlocking	Key and lever handle	Internal key and lever handle	A to BG, DA to ES
22	Surelock McGill Limited	Slimline SL311-K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Internal key and lever handle	A to BG, DA to ES
23	Surelock McGill Limited	Slimline SL311-H6K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Full width push bar deadlocked by a key	A to BG, DA to ES
24	Surelock McGill Limited	Slimline SL311-H3K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Push pad deadlocked by a key	A to BG, DA to ES
25	Surelock McGill Limited	Slimline SL313 with GSS guard	Three-point surface-mounted locking system, auto-bolting, auto-deadlocking	Key and lever handle	Thumbturn and lever handle	A to CZ
26	Surelock McGill Limited	Slimline SL313-K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Thumbturn and lever handle	A to CZ
27	Surelock McGill Limited	Slimline SL313-H6K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Full width push bar deadlocked by a thumbturn	A to CZ
28	Surelock McGill Limited	Slimline SL313-H3K0 with GSS guard	Three-point surface-mounted locking system, auto-bolting, manual-deadlocking	Key and lever handle	Push pad deadlocked by a thumbturn	A to CZ
29	Surelock McGill Limited	Slimline SL315 with GSS guard	Three-point surface-mounted emergency exit locking system, auto-bolting, auto-deadlocking	Key and lever handle	Lever handle	A to BG, ET to GL
30	Surelock McGill Limited	Slimline SL315-K0 with GSS guard	Three-point surface-mounted emergency exit locking system, auto-bolting, manual-deadlocking	Key and lever handle	Lever handle	A to BG, ET to GL
31	Surelock McGill Limited	Slimline SL316 with GSS guard	Three-point surface-mounted emergency exit locking system, auto-bolting, auto-deadlocking	Key and lever handle	Push pad	A to BG, ET to GL

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
32	Surelock McGill Limited	Slimline SL316-K0 with GSS guard	Three-point surface-mounted emergency exit locking system, auto-bolting, manual-deadlocking	Key and lever handle	Push pad	A to BG, ET to GL
33	Surelock McGill Limited	Slimline SL320	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	None	-
34	Surelock McGill Limited	Slimline SL320-K2 with GSS guard	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	None	A to BG, ET to GL
35	Surelock McGill Limited	Slimline SL321-H1	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	None	Electro-mechanical access control device with internal key override and lever handle	-
36	Surelock McGill Limited	Slimline SL321	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device with internal key override and lever handle	-
37	Surelock McGill Limited	Slimline SL321-K2 with GSS guard	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Electro-mechanical access control device with internal key override and lever handle	A to BG, DA to ES

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
38	Surelock McGill Limited	Slimline SL322-H1	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	None	Electro-mechanical access control device and lever handle	-
39	Surelock McGill Limited	Slimline SL322	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device and lever handle	-
40	Surelock McGill Limited	Slimline SL322-K2 with GSS guard	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Electro-mechanical access control device and lever handle	A to BG, ET to GL
41	Surelock McGill Limited	Slimline SL323-H1	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	None	Electro-mechanical access control device with thumbturn override and lever handle	-
42	Surelock McGill Limited	Slimline SL323	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electric release and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
43	Surelock McGill Limited	Slimline SL323-K2 with GSS guard	Three-point surface-mounted electro-mechanical electric release lock powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	A to CZ
44	Surelock McGill Limited	Slimline SL325	Three-point surface-mounted emergency exit locking system with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	Lever handle	-
45	Surelock McGill Limited	Slimline SL325-K2 with GSS guard	Three-point surface-mounted emergency exit locking system with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Lever handle	A to BG, ET to GL
46	Surelock McGill Limited	Slimline SL326	Three-point surface-mounted emergency exit locking system with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	Push pad	-
47	Surelock McGill Limited	Slimline SL326-K2 with GSS guard	Three-point surface-mounted emergency exit locking system with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Push pad	A to BG, ET to GL

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
48	Surelock McGill Limited	Slimline SLP506	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf), auto-bolting	None	Push pad	-
49	Surelock McGill Limited	Slimline SLP506-Q4	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf), auto-bolting, auto-deadlocking	None	Push pad	-
50	Surelock McGill Limited	Slimline SLP516 with GSS guard	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf), auto-bolting, auto-deadlocking	Key and lever handle	Push pad	A to BG, ET to GL
51	Surelock McGill Limited	Slimline SLP526	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf) with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device and lever handle	Push pad	-
52	Surelock McGill Limited	Slimline SLP526-K2 with GSS guard	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf) with electro-mechanical electric release powered by 12 V, 24 V or 50 V solenoid, auto-bolting, auto-deadlocking ^{5,6}	Electro-mechanical access control device with key override and lever handle	Push pad	A to BG, ET to GL

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
53	Surelock McGill Limited	Slimline SLP506-R11 delayed egress	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf), auto-bolting with 12 V delayed egress	None	Delayed egress push pad	-
54	Surelock McGill Limited	Slimline SLP506-R12 delayed egress	Surface-mounted five point emergency exit locking system (three horizontal bolts on the active leaf, two vertical bolts on the passive leaf), auto-bolting with 24 V delayed egress	None	Delayed egress push pad	-

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Type
A	Abloy	Protec CY201-PT	Scandinavian Oval
B	Abloy	Protec2 CY201-TT	Scandinavian Oval
C	Abloy	Protec Cliq / Cliq Remote CY201-PT-CLIQ ⁷	Scandinavian Oval (Mechatronic)
D	Abloy	Protec2 Cliq / Cliq Remote CY201-TT-CLIQ ⁷	Scandinavian Oval (Mechatronic)
E	Abloy	Disklock Pro CY201-DP	Scandinavian Oval
F	Abloy	Novel CY201-VL	Scandinavian Oval
G	Access2	Tigris Omega	Scandinavian Oval
H	Access2	Tigris Plus	Scandinavian Oval
I	Access2	Tigris Premier	Scandinavian Oval
J	Access2	Tigris Premier2	Scandinavian Oval
K	Access2	Tigris Premier3	Scandinavian Oval
L	ASSA	4401	Scandinavian Oval
M	ASSA	4401 Cliq / Cliq Remote ⁷	Scandinavian Oval (Mechatronic)
N	ASSA	4407	Scandinavian Oval
O	ASSA	4407 Cliq / Cliq Remote ⁷	Scandinavian Oval (Mechatronic)

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
P	ASSA	4801	Scandinavian Oval
Q	ASSA	4807	Scandinavian Oval
R	ASSA	C5801	Scandinavian Oval
S	ASSA	C5807	Scandinavian Oval
T	ASSA	Twin 7601	Scandinavian Oval
U	ASSA	Twin 7607	Scandinavian Oval
V	iLOQ	C10S.17	Scandinavian Oval (Mechatronic)
W	Kaba	experT	Scandinavian Oval
X	Kaba	Gege RAM	Scandinavian Oval
Y	Kaba	Gege pExtra	Scandinavian Oval
Z	Kaba	K20	Scandinavian Oval
AA	Kaba	Quattro PluS	Scandinavian Oval
AB	KESO	4000S	Scandinavian Oval
AC	Locken/ISEO	LSSA20A329M7	Scandinavian Oval (Mechatronic)
AD	Medeco	M3-ARX	Scandinavian Oval
AE	Surelock McGill	CY-SN	Scandinavian Oval
AF	Videx	Cyberlock CL-OVLD7	Scandinavian Oval (Mechatronic)
AG	Winkhaus	VS6	Scandinavian Oval
AH	Abloy	Protec CY403-PT	Rim
AI	Abloy	Protec CY405-PT	Rim
AJ	Abloy	Protec2 CY403-TT	Rim
AK	Abloy	Protec2 CY405-TT	Rim
AL	Abloy	Protec Cliq / Cliq Remote CY403-PT-CLIQ7	Rim (Mechatronic)
AM	Abloy	Protec2 Cliq / Cliq Remote CY403-TT-CLIQ7	Rim (Mechatronic)
AN	Abloy	Disklock Pro CY403-DP	Rim
AO	Abloy	Disklock Pro CY405-DP	Rim
AP	Abloy	Novel CY403-VL	Rim
AQ	Abloy	Novel CY405-VL	Rim
AR	Access2	Tigris Omega	Rim
AS	Access2	Tigris Plus	Rim
AT	Access2	Tigris Premier	Rim

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
AU	Access2	Tigris Premier2	Rim
AV	Access2	Tigris Premier3	Rim
AW	ASSA	4457	Rim
AX	ASSA	4857	Rim
AY	ASSA	7657	Rim
AZ	ASSA	C5857	Rim
BA	Kaba	K20	Rim
BB	Kaba	Quattro Plus	Rim
BC	KESO	4000S	Rim
BD	Medeco	M3-ARX	Rim
BE	Surelock McGill	CY-RM	Rim
BF	Winkhaus	VS6	Rim
BG	Yale	X5	Rim
BH	Abloy	Protec CY305-PT	Europrofile double (key:thumb)
BI	Abloy	Protec CY309-PT	Europrofile double (key:thumb)
BJ	Abloy	Protec CY319-PT	Europrofile double (key:thumb)
BK	Abloy	Protec CY323-PT	Europrofile double (key:thumb)
BL	Abloy	Protec CY328-PT	Europrofile double (key:thumb)
BM	Abloy	Protec CY333-PT	Europrofile double (key:thumb)
BN	Abloy	Protec CY338-PT	Europrofile double (key:thumb)
BO	Abloy	Protec2 CY323-TT	Europrofile double (key:thumb)
BP	Abloy	Protec2 CY328-TT	Europrofile double (key:thumb)
BQ	Abloy	Protec2 CY333-TT	Europrofile double (key:thumb)
BR	Abloy	Protec2 CY338-TT	Europrofile double (key:thumb)
BS	Abloy	Protec Cliq / Cliq Remote CY305-PT-CLIQ ⁷	Europrofile double (key:thumb) (Mechatronic)
BT	Abloy	Protec Cliq / Cliq Remote CY333-PT-CLIQ ⁷	Europrofile double (key:thumb) (Mechatronic)
BU	Abloy	Protec2 Cliq / Cliq Remote CY333-TT-CLIQ ⁷	Europrofile double (key:thumb) (Mechatronic)
BV	Abloy	Disklock Pro CY305-DP	Europrofile double (key:thumb)
BW	Abloy	Disklock Pro CY309-DP	Europrofile double (key:thumb)
BX	Abloy	Disklock Pro CY319-DP	Europrofile double (key:thumb)
BY	Abloy	Disklock Pro CY323-DP	Europrofile double (key:thumb)

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
BZ	Abloy	Disklock Pro CY328-DP	Europrofile double (key:thumb)
CA	Abloy	Disklock Pro CY333-DP	Europrofile double (key:thumb)
CB	Abloy	Disklock Pro CY338-DP	Europrofile double (key:thumb)
CC	Abloy	Novel CY323-VL	Europrofile double (key:thumb)
CD	Abloy	Novel CY328-VL	Europrofile double (key:thumb)
CE	Abloy	Novel CY333-VL	Europrofile double (key:thumb)
CF	Abloy	Novel CY338-VL	Europrofile double (key:thumb)
CG	Access2	Tigris Omega	Europrofile double (key:thumb)
CH	Access2	Tigris Plus	Europrofile double (key:thumb)
CI	Access2	Tigris Premier	Europrofile double (key:thumb)
CJ	Access2	Tigris Premier2	Europrofile double (key:thumb)
CK	Access2	Tigris Premier3	Europrofile double (key:thumb)
CL	Acsys	BL	Europrofile double (key:thumb)
CM	ASSA	4427	Europrofile double (key:thumb)
CN	ASSA	44M27 Cliq / Cliq Remote ⁷	Europrofile double (key:thumb) (Mechatronic)
CO	ASSA	4827	Europrofile double (key:thumb)
CP	ASSA	C5827	Europrofile double (key:thumb)
CQ	ASSA	7627	Europrofile double (key:thumb)
CR	Kaba	experT	Europrofile double (key:thumb)
CS	Kaba	Gege RAM	Europrofile double (key:thumb)
CT	Kaba	Gege pExtra	Europrofile double (key:thumb)
CU	Kaba	Quattro PluS	Europrofile double (key:thumb)
CV	KESO	4000S	Europrofile double (key:thumb)
CW	Locken/ISEO	LSMA830309M	Europrofile double (key:thumb)
CX	Medeco	M3-ARX	Europrofile double (key:thumb)
CY	Surelock McGill	CY-ET	Europrofile double (key:thumb)
CZ	Winkhaus	VS6	Europrofile double (key:thumb)
DA	Abloy	Protec CY304-PT	Europrofile double (key:key)
DB	Abloy	Protec CY308-PT	Europrofile double (key:key)
DC	Abloy	Protec CY318-PT	Europrofile double (key:key)
DD	Abloy	Protec CY322-PT	Europrofile double (key:key)

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
DE	Abloy	Protec CY327-PT	Europrofile double (key:key)
DF	Abloy	Protec CY332-PT	Europrofile double (key:key)
DG	Abloy	Protec CY337-PT	Europrofile double (key:key)
DH	Abloy	Protec2 CY322-TT	Europrofile double (key:key)
DI	Abloy	Protec2 CY327-TT	Europrofile double (key:key)
DJ	Abloy	Protec2 CY332-TT	Europrofile double (key:key)
DK	Abloy	Protec2 CY337-TT	Europrofile double (key:key)
DL	Abloy	Protec Cliq / Cliq Remote CY304-PT-CLIQ ⁷	Europrofile double (key:key) (Mechatronic)
DM	Abloy	Protec Cliq / Cliq Remote CY332-PT-CLIQ ⁷	Europrofile double (key:key) (Mechatronic)
DN	Abloy	Protec2 Cliq / Cliq Remote CY332-TT-CLIQ ⁷	Europrofile double (key:key) (Mechatronic)
DO	Abloy	Disklock Pro CY304-DP	Europrofile double (key:key)
DP	Abloy	Disklock Pro CY308-DP	Europrofile double (key:key)
DQ	Abloy	Disklock Pro CY318-DP	Europrofile double (key:key)
DR	Abloy	Disklock Pro CY322-DP	Europrofile double (key:key)
DS	Abloy	Disklock Pro CY327-DP	Europrofile double (key:key)
DT	Abloy	Disklock Pro CY332-DP	Europrofile double (key:key)
DU	Abloy	Disklock Pro CY337-DP	Europrofile double (key:key)
DV	Abloy	Novel CY322-VL	Europrofile double (key:key)
DW	Abloy	Novel CY327-VL	Europrofile double (key:key)
DX	Abloy	Novel CY332-VL	Europrofile double (key:key)
DY	Abloy	Novel CY337-VL	Europrofile double (key:key)
DZ	Access2	Tigris Omega	Europrofile double (key:key)
EA	Access2	Tigris Plus	Europrofile double (key:key)
EB	Access2	Tigris Premier	Europrofile double (key:key)
EC	Access2	Tigris Premier2	Europrofile double (key:key)
ED	Access2	Tigris Premier3	Europrofile double (key:key)
EE	Acsys	DL	Europrofile double (key:key)
EF	ASSA	4422	Europrofile double (key:key)
EG	ASSA	44M22 Cliq / Cliq Remote ⁷	Europrofile double (key:key) (Mechatronic)
EH	ASSA	4822	Europrofile double (key:key)
EI	ASSA	C5822	Europrofile double (key:key)

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
EJ	ASSA	7622	Europrofile double (key:key)
EK	Kaba	experT	Europrofile double (key:key)
EL	Kaba	Gege RAM	Europrofile double (key:key)
EM	Kaba	Gege pExtra	Europrofile double (key:key)
EN	Kaba	Quattro Plus	Europrofile double (key:key)
EO	KESO	4000S	Europrofile double (key:key)
EP	Locken/ISEO	LMSA030309M	Europrofile double (key:key)
EQ	Medeco	M3-ARX	Europrofile double (key:key)
ER	Surelock McGill	CY-ED	Europrofile double (key:key)
ES	Winkhaus	VS6	Europrofile double (key:key)
ET	Abloy	Protec CY303-PT	Europrofile single
EU	Abloy	Protec CY307-PT	Europrofile single
EV	Abloy	Protec CY317-PT	Europrofile single
EW	Abloy	Protec CY321-PT	Europrofile single
EX	Abloy	Protec CY326-PT	Europrofile single
EY	Abloy	Protec CY331-PT	Europrofile single
EZ	Abloy	Protec CY336-PT	Europrofile single
FA	Abloy	Protec2 CY321-TT	Europrofile single
FB	Abloy	Protec2 CY326-TT	Europrofile single
FC	Abloy	Protec2 CY331-TT	Europrofile single
FD	Abloy	Protec2 CY336-TT	Europrofile single
FE	Abloy	Protec Cliq / Cliq Remote CY303-PT-CLIQ ⁷	Europrofile single (Mechatronic)
FF	Abloy	Protec Cliq / Cliq Remote CY331-PT-CLIQ ⁷	Europrofile single (Mechatronic)
FG	Abloy	Protec2 Cliq / Cliq Remote CY331-TT-CLIQ ⁷	Europrofile single (Mechatronic)
FH	Abloy	Disklock Pro CY303-DP	Europrofile single
FI	Abloy	Disklock Pro CY307-DP	Europrofile single
FJ	Abloy	Disklock Pro CY317-DP	Europrofile single
FK	Abloy	Disklock Pro CY321-DP	Europrofile single
FL	Abloy	Disklock Pro CY326-DP	Europrofile single
FM	Abloy	Disklock Pro CY331-DP	Europrofile single
FN	Abloy	Disklock Pro CY336-DP	Europrofile single

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Cylinder Reference	Manufacturer	Model	Type
FO	Abloy	Novel CY321-VL	Europrofile single
FP	Abloy	Novel CY326-VL	Europrofile single
FQ	Abloy	Novel CY331-VL	Europrofile single
FR	Abloy	Novel CY336-VL	Europrofile single
FS	Access2	Tigris Omega	Europrofile single
FT	Access2	Tigris Plus	Europrofile single
FU	Access2	Tigris Premier	Europrofile single
FV	Access2	Tigris Premier2	Europrofile single
FW	Access2	Tigris Premier3	Europrofile single
FX	Acsys	SL	Europrofile single
FY	ASSA	4423	Europrofile single
FZ	ASSA	44M23 Cliq / Cliq Remote ⁷	Europrofile single (Mechatronic)
GA	ASSA	4823	Europrofile single
GB	ASSA	C5823	Europrofile single
GC	ASSA	7623	Europrofile single
GD	Kaba	experT	Europrofile single
GE	Kaba	Gege RAM	Europrofile single
GF	Kaba	Gege pExtra	Europrofile single
GG	Kaba	Quattro Plus	Europrofile single
GH	KESO	4000S	Europrofile single
GI	Locken/ISEO	LMSA030109M	Europrofile single
GJ	Medeco	M3-ARX	Europrofile single
GK	Surelock McGill	CY-ES	Europrofile single
GL	Winkhaus	VS6	Europrofile single

Compatible Padlocks

Padlock Reference	Manufacturer	Model	Cylinder Mechanism
a	Abloy	PL340/25	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Padlock Reference	Manufacturer	Model	Cylinder Mechanism
b	Abloy	PL340/25 (V01)	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec
c	Abloy	PL342	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec
d	Abloy	PL342 (V01)	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec
e	Abloy	PL350/25	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec
f	Abloy	PL350/25 (V01)	Abloy High Profile
			Abloy Exec
			Abloy Disclock Pro
			Abloy Protec
g	Kaba	K18 c/w 11 mm open shackle	Kaba 20 (Armoured)
h	Squire	SS65CS	Squire 6 pin

Approved Optional Design Feature/Accessory

Design Feature/Accessory	Type	Security Doorset		
		Heavy Duty SR2 (1115a/01)	Heavy Duty SR3 (1115a/02)	Heavy Duty SR3 (1115a/03)
Vision panel ⁸	Vision panels incorporating specialist laminated security glazing. The vision panels have 'daylight' ⁹ dimensions ranging from 0.17 m by 0.17 m up to 0.17 m by 0.67 m.	-	-	✓

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1115a Kingsley Plastics Limited

Issue: 05

Design Feature/Accessory	Type	Security Doorset		
		Heavy Duty SR2 (1115a/01)	Heavy Duty SR3 (1115a/02)	Heavy Duty SR3 (1115a/03)
Alternative applied finishes	Applied finish to the surface of the door: - Textured - Brick - Stone - Pebbledash - Smooth moulded	✓	✓	✓
Additional locking system	Multi-point boltwork with Yale rim deadlock ¹⁰	✓	✓	-

Notes

- The double leaf doorsets achieve the security ratings noted irrespective of whether the sprung tower bolts on the passive leaf are engaged.
- The double leaf doorset achieves at least a Security Rating 1 when placed in the minimum locked condition i.e when only one of the sprung tower bolts on the passive leaf is engaged.
- Doorsets higher than 2.5 m and fitted with compatible locking systems 1 to 5 incorporate two identical locking mechanisms on the active leaf.
- Compatible locking system 6 is only used in conjunction with compatible locking systems 1 to 5.
- Fail secure version only.
- The resistance of the access control locks to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is "infinite". It is therefore recommended that the user satisfies themselves that the components used are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
- The resistance of the mechatronic cylinders to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of ancillary equipment that may be used in conjunction with those cylinders. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to electronic methods of attack, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
- The vision panels are only compatible with doorsets incorporating locking systems 7 to 54.
- This equates to the dimensions of the vision panel through which it is possible to view the other side of the doorset.
- The 'multi-point boltwork with Yale rim deadlock' may be fitted as a supplementary locking system to the rear of the single leaf padlockable doorset or active leaf of the double leaf padlockable doorset. However, the doorsets only achieve the security rating noted when the padlockable shroud is secured in the closed condition using one of the padlocks listed in the table of 'padlock options' above.
- The approval covers the doorsets when installed using the method of installation defined on drawings 'Security Rating 2 - GRP Doorsets' (Revision 16 dated 4 February 2014), 'Security Rating 3 - GRP Doorsets' (Revision 16 dated 4 February 2014) and 'Security rating 3 - GRP Doorsets Surelock McGill' (Revision 7 dated 21 March 2019).

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

23 October 2020
Date of Issue

12 March 2012
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre